

# LIPOSUCTION SYSTEMS AND ACCESSORIES



body aesthetics

# ASPIRATORS



## PSI-TEC III™ Aspirator

The next generation of our ultra-quiet PSI-TEC™ aspiration system, features two maximum flow vacuum pumps for high powered operation, delivering the responsiveness and power you'll need for your liposuction procedures.

## Accelerator II Aspirator

The classic design of the Accelerator II aspirator allows for convenient placement and storage, while offering quiet vibration-free performance during demanding procedures.



# INFILTRATORS



## PSI-TEC III™ Infiltrator

The PSI-TEC III™ Infiltrator is a compact system featuring a powerful micro pump that delivers an open flow rate of 600 ml/minute.

## EZ PUMP™ Infiltrator

The EZ-Pump™ Infiltrator is a programmable system with flow rates of 50-500 ml/minute in increments of 10 ml/minute. A reset feature provides OR staff an easier method to manage infiltration records. The EZ-Pump™ Infiltrator is compatible with the PSI-TEC III™ Aspirator.



# SELECTED ACCESSORIES

## PSI-TEC™ Total Aspiration Protection Kit



A disposable system packaged in a single use kit that minimizes the possibility of cross contamination or aerosol transmission.



## Canisters

The Flex-T Canister System consists of a reusable rigid canister and a soft disposable liner with attached lid and ports.



## The HUNSTAD™ Handle

The HUNSTAD™ Handle is available in three styles and features an on/off valve that allows the surgeon control during the infiltration process.

## PSI-TEC™ Absolute Filter



A single barb system for use on all PSI-TEC™ Aspiration Systems.

## LAMIS Infiltration Tubing

LAMIS Infiltration Tubing features a large internal diameter to maximize flow. It is available in single and dual spike configurations.



## Contour Genesis Infiltration Tubing

Used with the PSI-TEC™ Infiltrator and EZ-PUMP™ Infiltrator, ultra flexible Contour Genesis Infiltration Tubing provides high flow rates with a single spike system.



## Autofuse Infiltration Tubing

This soft formulated tubing will work in most infiltration pumps. A silicone tubing insert is designed to increase flow, eliminate tubing creep and make changing tubing more convenient.



## PSI-TEC™ Aspiration Tubing

PSI-TEC™ tubing is resistant to kinking or collapsing. Available in 8' lengths for standard aspirators, or 12' lengths for PSI-TEC™ systems.



# LIPOSUCTION SYSTEMS ORDERING INFORMATION

Catalog #	Description	Quantity
<b>ASPIRATOR SYSTEMS AND ACCESSORIES</b>		
PT-ASP-III-110 (110 Volt)	PSI-TEC III™ Aspirator	EA
ASP II	Accelerator II Aspirator	EA
PT-TAP KIT	Aspiration Protection Kits for PSI-TEC™ System Each kit includes: (1) PSI-TEC™ Aspirator Tubing, 12', Sterile; (1) PSI-TEC™ Filter; (2) IP Canister Liners; Connection Tubing	5/pkg
PT-100038	PSI-TEC III™ Absolute Filters	10/box
CNLINER	Disposable 2000cc Liner	EA
A-1320	1.5 L Reusable Collection Canister	EA
A-1330	1.5 L Disposable Liner and Lid	EA
PT-III-RAIL	PSI-TEC III™ Rail	EA
PT-III-SHELF	PSI-TEC III™ Tray for IV Pole with Clamp	EA
PT-III-CLIP	PSI-TEC III™ Clip for Rail (Canister Bracket)	EA
CN2000-FT	Reusable 2000 Flex T Canister	EA
SCREW-FT	Hollow Screw & Washer for CN2000-FT	EA
CN-FLEX-T	Flexible "T" Fitting with 3/8" Tubing Connectors	EA
CN-MOUNT	Mounting Bracket for Accumeasure Canister	EA
AB43426	Wire Basket for IP Canister	EA
AB43429	PSI-TEC III™ Dual Canister Basket Holder	EA
<b>INFILTRATION SYSTEMS</b>		
PT-PINF-III (110 Volt)	PSI-TEC III™ Infiltrator	EA
EZ-PUMP	Peristaltic Infiltration/Irrigation Pump	EA
<b>INFILTRATION HANDLES AND ACCESSORIES</b>		
HUN-HAN	HUNSTAD™ Infiltration Handle With Luer Lock Fitting	EA
HUN-HAN-S	HUNSTAD™ Infiltration Handle w/Spring	EA
HUN-SPISTON	HUNSTAD™ Spring Handle Piston	EA
HUN-NPISTON	HUNSTAD™ Handle New Piston	EA
HUN-N-RINGS	HUNSTAD™ Handle Ring Kit	EA
HUN-S-O-RING	HUNSTAD™ Spring Loaded "O" Ring Replacement	2/pkg
HUN-TOOL	HUNSTAD™ "O" Ring Insertion Tool	EA
HUN-LUBE	"O" Ring Lubricant (Bottle)	EA
INF-HAN-L	Infiltration Handle with Luer Lock Fitting	EA
<b>ASPIRATION TUBING</b>		
PT-5558	PSI-TEC™ Tubing, 12', Sterile	10/box
PT-5558-F	PSI-TEC™ Filter Connecting Tubing (10 short, 5 long)	15/box
B5558	PSI-TEC™ Tubing, 8', Sterile	10/box
B5558-F	Filter Connecting Tubes (5 Short, 5 Long)	10/box
<b>INFILTRATION TUBING</b>		
AFTU-DS	Autofuse Tubing, 9', Sterile	10/box
CG-INF-T	Contour Genesis Infiltration Tubing, 13', Sterile	10/box
LAM-Y	LAMIS "Y" Tubing, 8', Sterile	10/box
LAM-TUBING	LAMIS Tubing, 9', Sterile	10/box



201 Mentor Drive  
Santa Barbara, CA 93111 USA  
Tel: 805-879-6000  
www.mentorworldwide.com

Customer Service  
Phone: 800-235-5731  
Fax: 805-967-7108